

ECR™ 2 Airflow Curves



Silent



Efficient



Easy to Use




Dual Voltage



Smart Control



200mm (8 inches) at 1300rpm



0 Pa (0 inH₂O)

Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							351		401	437		462	503
Airflow [cfm]							207		236	257		272	296
Input Power [W]							4.5		5.3	6.2		6.7	9.0

25 Pa (0.1 inH₂O)


Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							151		180	207		212	280
Airflow [cfm]							89		106	121		125	165
Input Power [W]							6.6		7.5	8.1		8.7	10.5

50 Pa (0.2 inH₂O)

Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							47		70	n/a		92	130
Airflow [cfm]							28		41	n/a		54	78
Input Power [W]							9.4		10.6	n/a		12.3	7.1



200mm (8 inches) at 1550rpm



0 Pa (0 inH₂O)

Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							414		475	502		544	595
Airflow [cfm]							244		279	296		320	350
Input Power [W]							5.5		7.1	7.8		9.3	13.5

25 Pa (0.1 inH₂O)


Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							274		321	338		369	412
Airflow [cfm]							161		189	199		216	243
Input Power [W]							7.5		9.1	11.4		11.4	15.3

50 Pa (0.2 inH₂O)

Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							122		153	163		180	165
Airflow [cfm]							72		90	96		106	97
Input Power [W]							11.2		13.3	14.4		16.2	17



200mm (8 inches) at 1800rpm



0 Pa (0 inH₂O)

Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							481		554	585		627	676
Airflow [cfm]							283		326	345		369	398
Input Power [W]							7.9		10.4	11.3		14.1	20.0

25 Pa (0.1 inH₂O)


Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							360		439	453		506	487
Airflow [cfm]							211		264	267		298	287
Input Power [W]							10.9		13.4	14.3		17.3	20.0

50 Pa (0.2 inH₂O)

Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							200		235	255		265	173
Airflow [cfm]							118		138	150		156	102
Input Power [W]							15.1		17.0	18.4		20.2	17.0



230mm (9 inches) at 1300rpm



0 Pa (0 inH₂O)

Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							527		592	670		714	670
Airflow [cfm]							310		349	395		420	395
Input Power [W]							8.3		9.6	14.2		16.1	15.7

25 Pa (0.1 inH₂O)


Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							362		393	446		394	363
Airflow [cfm]							223		232	263		232	214
Input Power [W]							10.9		12.9	15.9		15.7	14.9

50 Pa (0.2 inH₂O)

Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							168		113	n/a		n/a	n/a
Airflow [cfm]							99		66	n/a		n/a	n/a
Input Power [W]							15.0		15.0	n/a		n/a	n/a



230mm (9 inches) at 1550rpm



0 Pa (0 inH₂O)

Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m^3/hr]							617		699				
Airflow [cfm]							363		412				
Input Power [W]							11.6		14.9				


25 Pa (0.1 inH₂O)

Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m^3/hr]							501		533				
Airflow [cfm]							295		314				
Input Power [W]							15.7		18.2				

50 Pa (0.2 inH₂O)

Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m^3/hr]							237		121				
Airflow [cfm]							140		71				
Input Power [W]							17.6		14.8				

230mm (9 inches) at 1800rpm




0 Pa (0 inH ₂ O)													
Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							715						
Airflow [cfm]							421						
Input Power [W]							18.0						

25 Pa (0.1 inH ₂ O)													
Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							574						
Airflow [cfm]							338						
Input Power [W]							19.6						

50 Pa (0.2 inH ₂ O)													
Pitch	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]							204						
Airflow [cfm]							120						
Input Power [W]							17.0						

254mm (10 inches) at 1300rpm



0 Pa (0 inH₂O)

Pitch	10°	12°	14°	16°	18°	19°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]						602	690			765			
Airflow [cfm]						355	406			451			
Input Power [W]						9.1	12.3			15.9			


25 Pa (0.1 inH₂O)

Pitch	10°	12°	14°	16°	18°	19°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]						417	491			460			
Airflow [cfm]						245	289			271			
Input Power [W]						12.7	15.6			15.4			

50 Pa (0.2 inH₂O)

Pitch	10°	12°	14°	16°	18°	19°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]						77	n/a			n/a			
Airflow [cfm]						45	n/a			n/a			
Input Power [W]						14.3	n/a			n/a			

254mm (10 inches) at 1550rpm



0 Pa (0 inH₂O)

Pitch	10°	12°	14°	16°	18°	19°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]						716	783						
Airflow [cfm]						423	461						
Input Power [W]						14.8	17.4						

25 Pa (0.1 inH₂O)

Pitch	10°	12°	14°	16°	18°	19°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]						554	505						
Airflow [cfm]						326	296						
Input Power [W]						17.7	16.0						

50 Pa (0.2 inH₂O)

Pitch	10°	12°	14°	16°	18°	19°	22°	24°	26°	28°	30°	31°	34°
Airflow [m ³ /hr]						61.6	n/a						
Airflow [cfm]						36.2	n/a						
Input Power [W]						13.6	n/a						



About Wellington

Wellington specialises in advanced refrigeration controls and energy saving EC fan motors for the commercial refrigeration industry. We are a listed New Zealand company, with offices and distributors globally. Our ECR Series fan motors have been market leaders for over a decade.

21 Arrenway Drive, Rosedale Auckland 0632, New Zealand
P: +64 (0) 9 477 4500 E: info@wdtl.com www.wdtl.com